



28 St-Jean Avenue  
Edmundston NB  
E3V 1C8 CANADA

Physical address: 355 Power Road, Edmundston, NB E3V 4K1

PO Box 311  
Madawaska ME 04756  
USA

---

Phone: (506) 735-7048/ (888) 645-3374 Fax: (506) 739-6946 Email: [info@nikdesign.com](mailto:info@nikdesign.com) Website: [www.nikdesign.com](http://www.nikdesign.com)

---

## SPECIFICATIONS

### MODEL 306 CURFEW CLOCK

*Specifications subject to changes*

- GENERAL:** This Curfew Clock operates on a low voltage 15VDC regulated power supply which plugs into an 110V outlet. Dimensions are 24" L x 11 1/2" H x 3" D (61 cm x 29.5 cm x 8 cm) with an approximate weight of 13 LBS (5.9 Kg).
- LED DIGITS:** The LED digits are 6" High from center of bottom LED to center of top LED. They are manufactured with SEVEN segments per LED digit with ability to adjust LED intensity (7 Levels) from control center.
- TIME OF DAY:** 6" red LED digits with capacity to display 12 or 24h format time of day. The operator can set minutes, hours, display mode (12 or 24h), and brightness.
- WIRELESS:** The wireless remote is a 303.825 MHz remote with three buttons. The antenna is bent at a 90° angle for the best reception.
- POWER:** Requires a maximum .583 Ampere at 15VDC (7 Watts). Normal operation: 0.375 Amperes @15 VDC (4.5 Watts). Low voltage 15V operation.
- BATTERY BACKUP:** In case of power loss the clock has a real time battery backup in it to keep time accurate without power for more than 10 years.
- MOUNTING INSTRUCTIONS:**

**For wall mounting installation:** Place two #10, 1 ¼" long screws (included) in wall 16" apart (16" center to center). Ensure these screws are at the same height for level.

**For table mounting installation:** Use the #8, ½" screws (included) to attach the table stand (included) to the rear of the timer. Once the stand is secure, the timer will stand on its own.